

Notice of Allowability

Application No.

10/664,112

Examiner

Henry K. Choe

Applicant(s)

LYNCH, JONATHAN

Art Unit

2817

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed on 11/17/05.
2. ☒ The allowed claim(s) is/are 2-12,14-19 and 21-30.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.


THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


HENRY CHOE
PRIMARY EXAMINER

DETAILED ACTION

Reasons for Allowance


Claims 2-12, 14-19 and 21-30 are allowed.

The following is an examiner's statement of reasons for allowance: Regarding claims 3 and 21, the closest prior art of record, Wallace et al (Figs. 2A, 3) does not disclose the following limitations: inductive wire bridges coupling the capacitors to bias streets of the grid-bias network. Regarding claims 7 and 17, the closest prior art of record, Wallace et al (Figs. 2A, 3) does not disclose the following limitations: the bias-line bypass circuits are positioned along a bias street of the grid-bias network and spaced apart by less than a quarter-wavelength of an effective propagation constant of the bias street. Regarding claim 11, the closest prior art of record, Wallace et al (Figs. 2A, 3) does not disclose the following limitations: the receive antennas are configured to receive a substantially vertical polarized wave front at a millimeter wave frequency and the power amplifiers are configured to amplify signals to provide a substantially horizontally polarized wavefront. Regarding claim 14, the closest prior art of record, Wallace et al (Figs. 2A, 3) does not disclose the following limitations: reducing comprises shunting RF current flow over a range of RF frequencies with a plurality of RLC networks that comprise each bias line bypass circuit.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Henry Choe whose telephone number is (571) 272-1760.



**HENRY CHOE
PRIMARY EXAMINER**